


Linalol, Linalyl Acetate and Borneol chiral separation



European Pharmacopoeia method for Lavender Oil Chiral Purity



Column:
MEGA-DEX DET Beta - 0.25mm, 0.25µm, 25m
Catalog Code: DEX-DET-B-025-025-25


Conditions:

Injection: Split 230°C, 1:30 split ratio.
Detector: FID 230°C.
Oven Program: 50°C, 2°C/min, 180°C.
Carrier Gas: Helium, 1.3mL/min.

Linalol, Linalyl Acetate and Borneol chiral separation



European Pharmacopoeia method for Lavender Oil Chiral Purity



Column:
MEGA-DEX DET Beta - 0.25mm, 0.25 μ m, 25m
Catalog Code: DEX-DET-B-025-025-25

Conditions:

Injection: Split 230°C, 1:30 split ratio.
Detector: FID 230°C.
Oven Program: 50°C, 2°C/min, 180°C.
Carrier Gas: Helium, 1.3mL/min.

Linalol, Linalyl Acetate and Borneol chiral separation




European Pharmacopoeia method for Lavender Oil Chiral Purity

Column:
MEGA-DEX DET Beta - 0.25mm, 0.25µm, 25m
Catalog Code: DEX-DET-B-025-025-25

Conditions:


Injection: Split 230°C, 1:30 split ratio.
Detector: FID 230°C.
Oven Program: 50°C, 2°C/min, 180°C.
Carrier Gas: Helium, 1.3mL/min.



Linalol, Linalyl Acetate and Borneol chiral separation



European Pharmacopoeia method for Lavender Oil Chiral Purity



Column:
MEGA-DEX DET Beta - 0.25mm, 0.25 μ m, 25m
Catalog Code: DEX-DET-B-025-025-25

Conditions:

Injection: Split 230°C, 1:30 split ratio.
Detector: FID 230°C.
Oven Program: 50°C, 2°C/min, 180°C.
Carrier Gas: Helium, 1.3mL/min.

Linalol, Linalyl Acetate and Borneol chiral separation



European Pharmacopoeia method for Lavender Oil Chiral Purity


Column:
MEGA-DEX DET Beta - 0.25mm, 0.25µm, 25m
Catalog Code: DEX-DET-B-025-025-25

Conditions:

Injection: Split 230°C, 1:30 split ratio.
Detector: FID 230°C.
Oven Program: 50°C, 2°C/min, 180°C.
Carrier Gas: Helium, 1.3mL/min.





since
1980 



contact us: info@mega.mi.it

 follow us [@MEGAColumns](https://twitter.com/MEGAColumns)

www.mega.mi.it